



ISO 3601-1:2012

国际标准 O 形圈

Diston No.	d ₁ 内径	d ₂ 线径	内径公差	线径公差
DR001	0.74	1.02	±0.13	±0.08
DR002	1.07	1.27	±0.13	±0.08
DR003	1.42	1.52	±0.13	±0.08
DR004	1.78	1.78	±0.13	±0.08
DR005	2.57	1.78	±0.13	±0.08
DR006	2.9	1.78	±0.13	±0.08
DR007	3.68	1.78	±0.13	±0.08
DR008	4.47	1.78	±0.13	±0.08
DR009	5.28	1.78	±0.13	±0.08
DR010	6.07	1.78	±0.13	±0.08
DR011	7.65	1.78	±0.13	±0.08
DR012	9.25	1.78	±0.13	±0.08
DR013	10.82	1.78	±0.13	±0.08
DR014	12.42	1.78	±0.13	±0.08
DR015	14	1.78	±0.18	±0.08
DR016	15.6	1.78	±0.23	±0.08
DR017	17.17	1.78	±0.23	±0.08
DR018	18.77	1.78	±0.23	±0.08
DR017	20.35	1.78	±0.23	±0.08
DR020	21.95	1.78	±0.23	±0.08
DR021	23.52	1.78	±0.23	±0.08
DR022	25.12	1.78	±0.25	±0.08
DR023	26.7	1.78	±0.25	±0.08
DR024	28.3	1.78	±0.25	±0.08
DR025	29.87	1.78	±0.28	±0.08
DR026	31.47	1.78	±0.28	±0.08
DR027	33.05	1.78	±0.28	±0.08
DR028	34.65	1.78	±0.33	±0.08
DR029	37.82	1.78	±0.33	±0.08
DR030	41	1.78	±0.33	±0.08
DR031	44.17	1.78	±0.38	±0.08
DR032	47.35	1.78	±0.38	±0.08
DR033	50.52	1.78	±0.46	±0.08
DR034	53.7	1.78	±0.46	±0.08
DR035	56.87	1.78	±0.46	±0.08
DR036	60.05	1.78	±0.46	±0.08
DR037	63.22	1.78	±0.46	±0.08
DR038	66.40	1.78	±0.51	±0.08
DR039	69.57	1.78	±0.51	±0.08
DR040	72.75	1.78	±0.51	±0.08
DR041	75.92	1.78	±0.61	±0.08
DR042	82.27	1.78	±0.61	±0.08
DR044	94.97	1.78	±0.69	±0.08
DR045	101.32	1.78	±0.69	±0.08
DR046	107.67	1.78	±0.76	±0.08
DR047	114.02	1.78	±0.76	±0.08

Diston No.	d ₁ 内径	d ₂ 线径	内径公差	线径公差
DR048	120.37	1.78	±0.76	±0.08
DR049	126.72	1.27	±0.94	±0.08
DR050	133.07	1.52	±0.94	±0.08
DR102	1.24	2.62	±0.13	±0.09
DR103	2.06	2.62	±0.13	±0.09
DR104	2.84	2.62	±0.13	±0.09
DR105	3.63	2.62	±0.13	±0.09
DR106	4.42	2.62	±0.13	±0.09
DR107	5.23	2.62	±0.13	±0.09
DR108	6.02	2.62	±0.13	±0.09
DR109	7.59	2.62	±0.13	±0.09
DR110	9.19	2.62	±0.13	±0.09
DR111	10.77	2.62	±0.13	±0.09
DR112	12.37	2.62	±0.13	±0.09
DR113	13.94	2.62	±0.18	±0.09
DR114	15.54	2.62	±0.23	±0.09
DR115	17.12	2.62	±0.23	±0.09
DR116	18.72	2.62	±0.23	±0.09
DR117	20.29	2.62	±0.25	±0.09
DR118	21.89	2.62	±0.25	±0.09
DR119	23.47	2.62	±0.25	±0.09
DR120	25.07	2.62	±0.25	±0.09
DR121	26.64	2.62	±0.25	±0.09
DR122	28.24	2.62	±0.25	±0.09
DR123	29.82	2.62	±0.30	±0.09
DR124	31.42	2.62	±0.30	±0.09
DR125	32.99	2.62	±0.30	±0.09
DR126	34.59	2.62	±0.33	±0.09
DR127	36.17	2.62	±0.33	±0.09
DR128	37.77	2.62	±0.33	±0.09
DR129	39.34	2.62	±0.38	±0.09
DR130	40.94	2.62	±0.38	±0.09
DR131	42.52	2.62	±0.38	±0.09
DR132	44.12	2.62	±0.38	±0.09
DR133	45.69	2.62	±0.38	±0.09
DR134	47.29	2.62	±0.38	±0.09
DR135	48.9	2.62	±0.43	±0.09
DR136	50.47	2.62	±0.43	±0.09
DR137	52.07	2.62	±0.43	±0.09
DR138	53.64	2.62	±0.43	±0.09
DR139	55.25	2.62	±0.43	±0.09
DR140	56.82	2.62	±0.43	±0.09
DR141	58.42	2.62	±0.51	±0.09
DR142	59.99	2.62	±0.51	±0.09
DR143	61.6	2.62	±0.51	±0.09
DR144	63.17	2.62	±0.51	±0.09
DR145	64.77	2.62	±0.51	±0.09

Diston No.	d ₁ 内径	d ₂ 线径	内径公差	线径公差	Diston No.	d ₁ 内径	d ₂ 线径	内径公差	线径公差
DR146	66.34	2.62	±0.51	±0.09	DR215	26.57	3.53	±0.31	±0.1
DR147	67.95	2.62	±0.56	±0.09	DR216	28.17	3.53	±0.32	±0.08
DR148	69.52	2.62	±0.56	±0.09	DR217	29.74	3.53	±0.34	±0.08
DR149	71.12	2.62	±0.13	±0.09	DR218	31.34	3.53	±0.35	±0.09
DR150	72.69	2.62	±0.13	±0.09	DR219	32.92	3.53	±0.36	±0.09
DR151	75.87	2.62	±0.61	±0.09	DR220	34.52	3.53	±0.37	±0.09
DR152	82.22	2.62	±0.13	±0.09	DR221	36.09	3.53	±0.38	±0.09
DR153	88.57	2.62	±0.13	±0.09	DR222	37.69	3.53	±0.39	±0.09
DR154	94.92	2.62	±0.71	±0.09	DR223	40.87	3.53	±0.42	±0.09
DR155	101.27	2.62	±0.13	±0.09	DR224	44.04	3.53	±0.44	±0.09
DR156	107.62	2.62	±0.76	±0.09	DR225	47.22	3.53	±0.46	±0.09
DR157	113.97	2.62	±0.13	±0.09	DR226	50.39	3.53	±0.48	±0.09
DR158	120.32	2.62	±0.13	±0.09	DR227	53.57	3.53	±0.51	±0.09
DR159	126.67	2.62	±0.89	±0.09	DR228	56.74	3.53	±0.53	±0.09
DR160	133.02	2.62	±0.13	±0.09	DR229	59.92	3.53	±0.55	±0.09
DR161	139.37	2.62	±0.18	±0.09	DR230	63.09	3.53	±0.57	±0.09
DR162	145.72	2.62	±0.23	±0.09	DR231	66.27	3.53	±0.59	±0.09
DR163	152.07	2.62	±0.23	±0.09	DR232	69.44	3.53	±0.62	±0.09
DR164	158.42	2.62	±1.02	±0.09	DR233	72.62	3.53	±0.64	±0.09
DR165	164.77	2.62	±0.23	±0.09	DR234	75.79	3.53	±0.66	±0.09
DR166	171.12	2.62	±0.23	±0.09	DR235	78.97	3.53	±0.68	±0.09
DR167	177.47	2.62	±0.23	±0.09	DR236	82.14	3.53	±0.7	±0.09
DR168	183.82	2.62	±1.14	±0.09	DR237	85.32	3.53	±0.72	±0.09
DR169	190.17	2.62	±0.25	±0.09	DR238	88.49	3.53	±0.75	±0.09
DR170	196.52	2.62	±0.25	±0.09	DR239	91.67	3.53	±0.77	±0.09
DR171	202.87	2.62	±0.28	±0.09	DR240	94.84	3.53	±0.79	±0.09
DR172	209.87	2.62	±1.27	±0.09	DR241	98.02	3.53	±0.81	±0.09
DR173	215.57	2.62	±0.28	±0.09	DR242	101.19	3.53	±0.83	±0.09
DR174	221.92	2.62	±0.33	±0.09	DR243	104.37	3.53	±0.85	±0.09
DR175	228.27	2.62	±0.33	±0.09	DR244	107.54	3.53	±0.88	±0.09
DR176	234.62	2.62	±1.4	±0.09	DR245	113.89	3.53	±0.92	±0.09
DR177	240.97	2.62	±0.38	±0.09	DR246	117.07	3.53	±0.94	±0.09
DR178	247.32	2.62	±0.38	±0.09	DR247	120.24	3.53	±0.96	±0.09
DR201	4.34	3.53	±0.15	±0.1	DR248	123.42	3.53	±0.98	±0.09
DR202	5.94	3.53	±0.16	±0.1	DR249	126.59	3.53	±1	±0.09
DR203	7.52	3.53	±0.17	±0.1	DR250	129.77	3.53	±1.03	±0.09
DR204	9.12	3.53	±0.18	±0.1	DR251	132.94	3.53	±1.05	±0.09
DR205	10.69	3.53	±0.20	±0.1	DR252	136.12	3.53	±1.07	±0.09
DR206	12.29	3.53	±0.21	±0.1	DR253	139.29	3.53	±1.09	±0.09
DR207	13.87	3.53	±0.22	±0.1	DR254	142.47	3.53	±1.11	±0.09
DR208	15.47	3.53	±0.23	±0.1	DR255	145.64	3.53	±1.13	±0.09
DR209	17.04	3.53	±0.24	±0.1	DR256	148.82	3.53	±1.15	±0.09
DR210	18.64	3.53	±0.25	±0.1	DR257	151.99	3.53	±1.17	±0.09
DR211	20.22	3.53	±0.27	±0.1	DR258	158.34	3.53	±1.22	±0.09
DR212	21.82	3.53	±0.28	±0.1	DR259	164.69	3.53	±1.26	±0.09
DR213	23.39	3.53	±0.29	±0.1	DR260	171.04	3.53	±1.3	±0.09
DR214	24.99	3.53	±0.30	±0.1	DR261	177.39	3.53	±1.34	±0.09

Diston No.	d ₁ 内径	d ₂ 线径	内径公差	线径公差
DR262	177.39 ×	3.53	±1.34	±0.1
DR263	183.74 ×	3.53	±1.38	±0.1
DR264	190.09 ×	3.53	±1.43	±0.1
DR265	196.44 ×	3.53	±1.47	±0.1
DR266	202.79 ×	3.53	±1.51	±0.1
DR267	209.14 ×	3.53	±1.55	±0.1
DR268	215.49 ×	3.53	±1.59	±0.1
DR269	221.84 ×	3.53	±1.63	±0.1
DR270	228.19 ×	3.53	±1.68	±0.1
DR271	234.54 ×	3.53	±1.72	±0.1
DR272	240.89 ×	3.53	±1.76	±0.1
DR273	247.24 ×	3.53	±1.8	±0.1
DR274	253.59 ×	3.53	±1.84	±0.1
DR275	266.29 ×	3.53	±1.92	±0.1
DR276	278.99 ×	3.53	±2	±0.1
DR277	291.69 ×	3.53	±2.09	±0.1
DR278	304.39 ×	3.53	±2.17	±0.1
DR279	329.79 ×	3.53	±2.33	±0.1
DR280	355.19 ×	3.53	±2.49	±0.1
DR281	380.59 ×	3.53	±2.65	±0.1
DR282	405.26 ×	3.53	±2.81	±0.1
DR283	430.66 ×	3.53	±2.97	±0.1
DR284	456.06 ×	3.53	±3.13	±0.1
DR309	10.46 ×	5.33	±0.19	±0.13
DR310	12.07 ×	5.33	±0.21	±0.13
DR311	13.64 ×	5.33	±0.22	±0.13
DR312	15.24 ×	5.33	±0.23	±0.13
DR313	16.81 ×	5.33	±0.24	±0.13
DR314	18.42 ×	5.33	±0.25	±0.13
DR315	19.99 ×	5.33	±0.26	±0.13
DR316	21.59 ×	5.33	±0.28	±0.13
DR317	23.16 ×	5.33	±0.29	±0.13
DR318	24.77 ×	5.33	±0.3	±0.13
DR319	26.34 ×	5.33	±0.31	±0.13
DR320	27.94 ×	5.33	±0.32	±0.13
DR321	29.51 ×	5.33	±0.33	±0.13
DR322	31.12 ×	5.33	±0.35	±0.13
DR323	32.69 ×	5.33	±0.36	±0.13
DR324	34.29 ×	5.33	±0.37	±0.13
DR325	37.47 ×	5.33	±0.39	±0.13
DR326	40.64 ×	5.33	±0.41	±0.13
DR327	43.82 ×	5.33	±0.44	±0.13
DR328	46.99 ×	5.33	±0.46	±0.13
DR329	50.17 ×	5.33	±0.48	±0.13
DR330	53.34 ×	5.33	±0.50	±0.13
DR331	56.52 ×	5.33	±0.53	±0.13
DR332	59.69 ×	5.33	±0.55	±0.13

Diston No.	d ₁ 内径	d ₂ 线径	内径公差	线径公差
DR333	59.69 ×	5.33	±0.55	±0.13
DR334	62.87 ×	5.33	±0.57	±0.13
DR335	66.04 ×	5.33	±0.59	±0.13
DR336	69.22 ×	5.33	±0.61	±0.13
DR337	72.39 ×	5.33	±0.64	±0.13
DR338	75.57 ×	5.33	±0.66	±0.13
DR339	78.74 ×	5.33	±0.68	±0.13
DR340	81.92 ×	5.33	±0.70	±0.13
DR341	85.09 ×	5.33	±0.72	±0.13
DR342	88.27 ×	5.33	±0.74	±0.13
DR343	91.44 ×	5.33	±0.77	±0.13
DR344	94.62 ×	5.33	±0.79	±0.13
DR345	100.97 ×	5.33	±0.83	±0.13
DR346	104.14 ×	5.33	±0.85	±0.13
DR347	107.32 ×	5.33	±0.87	±0.13
DR348	110.49 ×	5.33	±0.9	±0.13
DR349	113.67 ×	5.33	±0.92	±0.13
DR350	116.84 ×	5.33	±0.94	±0.13
DR351	120.02 ×	5.33	±0.96	±0.13
DR352	123.19 ×	5.33	±0.98	±0.13
DR353	126.37 ×	5.33	±1	±0.13
DR354	129.54 ×	5.33	±1.02	±0.13
DR355	132.72 ×	5.33	±1.05	±0.13
DR356	135.89 ×	5.33	±1.07	±0.13
DR357	139.07 ×	5.33	±1.09	±0.13
DR358	142.24 ×	5.33	±1.11	±0.13
DR359	145.42 ×	5.33	±1.13	±0.13
DR360	148.59 ×	5.33	±1.15	±0.13
DR361	151.77 ×	5.33	±1.17	±0.13
DR362	158.12 ×	5.33	±1.21	±0.13
DR363	164.47 ×	5.33	±1.26	±0.13
DR364	170.82 ×	5.33	±1.3	±0.13
DR365	177.17 ×	5.33	±1.34	±0.13
DR366	183.52 ×	5.33	±1.38	±0.13
DR367	189.87 ×	5.33	±1.42	±0.13
DR368	196.22 ×	5.33	±1.47	±0.13
DR369	202.57 ×	5.33	±1.51	±0.13
DR370	208.92 ×	5.33	±1.55	±0.13
DR371	215.27 ×	5.33	±1.59	±0.13
DR372	221.62 ×	5.33	±1.63	±0.13
DR373	227.97 ×	5.33	±1.67	±0.13
DR374	234.32 ×	5.33	±1.72	±0.13
DR375	240.67 ×	5.33	±1.76	±0.13
DR376	247.02 ×	5.33	±1.80	±0.13
DR377	253.37 ×	5.33	±1.84	±0.13
DR378	266.07 ×	5.33	±1.92	±0.13
DR379	278.77 ×	5.33	±2	±0.13

Diston No.	d ₁ 内径	d ₂ 线径	内径公差	线径公差
DR380	291.47 × 5.33		±2.09	±0.13
DR381	304.17 × 5.33		±2.17	±0.13
DR382	329.57 × 5.33		±2.33	±0.13
DR383	354.97 × 5.33		±2.49	±0.13
DR384	380.37 × 5.33		±2.65	±0.13
DR385	405.26 × 5.33		±2.81	±0.13
DR386	430.66 × 5.33		±2.97	±0.13
DR387	456.06 × 5.33		±3.13	±0.13
DR388	481.46 × 5.33		±3.29	±0.13
DR389	506.86 × 5.33		±3.45	±0.13
DR390	532.26 × 5.33		±3.61	±0.13
DR391	557.66 × 5.33		±3.77	±0.13
DR392	582.68 × 5.33		±3.92	±0.13
DR393	608.08 × 5.33		±4.08	±0.13
DR394	633.48 × 5.33		±4.24	±0.13
DR395	658.88 × 5.33		±4.4	±0.13
DR425	113.67 × 6.99		±0.92	±0.15
DR426	116.84 × 5.33		±0.94	±0.13
DR427	120.02 × 5.33		±0.96	±0.13
DR428	123.19 × 5.33		±0.98	±0.13
DR429	126.37 × 5.33		±1	±0.13
DR430	129.54 × 5.33		±1.02	±0.13
DR431	132.72 × 5.33		±1.05	±0.13
DR432	135.89 × 5.33		±1.07	±0.13
DR433	139.07 × 5.33		±1.09	±0.13
DR434	142.24 × 5.33		±1.11	±0.13
DR435	145.42 × 5.33		±1.13	±0.13
DR436	148.59 × 5.33		±1.15	±0.13
DR437	151.77 × 5.33		±1.17	±0.13
DR438	158.12 × 5.33		±1.21	±0.13
DR439	164.47 × 5.33		±1.26	±0.13
DR440	170.82 × 5.33		±1.3	±0.13
DR441	177.17 × 5.33		±1.34	±0.13
DR442	183.52 × 5.33		±1.38	±0.13
DR443	189.87 × 5.33		±1.42	±0.13
DR444	196.22 × 5.33		±1.47	±0.13
DR445	202.57 × 5.33		±1.51	±0.13
DR446	215.27 × 5.33		±1.59	±0.13
DR447	227.97 × 5.33		±1.67	±0.13
DR448	240.67 × 5.33		±1.76	±0.13
DR449	253.37 × 5.33		±1.84	±0.13
DR450	266.07 × 5.33		±1.92	±0.13
DR451	278.77 × 5.33		±2	±0.13
DR452	291.47 × 5.33		±2.09	±0.13
DR453	304.17 × 5.33		±2.17	±0.13
DR454	316.87 × 5.33		±2.25	±0.13
DR455	329.57 × 5.33		±2.33	±0.13

Diston No.	d ₁ 内径	d ₂ 线径	内径公差	线径公差
DR456	342.27 × 6.99		±2.41	±0.15
DR457	354.97 × 6.99		±2.49	±0.15
DR458	367.67 × 6.99		±2.57	±0.15
DR459	380.37 × 6.99		±2.65	±0.15
DR460	393.07 × 6.99		±2.73	±0.15
DR461	405.26 × 6.99		±2.81	±0.15
DR462	417.96 × 6.99		±2.89	±0.15
DR463	430.66 × 6.99		±2.97	±0.15
DR464	443.36 × 6.99		±3.05	±0.15
DR465	456.06 × 6.99		±3.13	±0.15
DR466	468.76 × 6.99		±3.21	±0.15
DR467	481.46 × 6.99		±3.29	±0.15
DR468	494.16 × 6.99		±3.37	±0.15
DR469	506.86 × 6.99		±3.45	±0.15
DR470	532.26 × 6.99		±3.61	±0.15
DR471	557.66 × 6.99		±3.77	±0.15
DR472	582.68 × 6.99		±3.92	±0.15
DR473	608.08 × 6.99		±4.08	±0.15
DR474	633.48 × 6.99		±4.24	±0.15
DR475	658.88 × 6.99		±4.4	±0.15

GB/T 3452-2005

国标 O 形圈

d ₁ 内径		d ₂ 线径					d ₁ 内径		d ₂ 线径				
		1.8	2.65	3.55	5.3	7			1.8	2.65	3.55	5.3	7
公差		±0.08	±0.09	±0.10	±0.13	±0.15	公差		±0.08	±0.09	±0.10	±0.13	±0.15
1.8	±0.13	×					20.6	±0.26	×	×	×		
2	±0.13	×					21.2	±0.26	×	×	×		
2.24	±0.13	×					22.4	±0.26	×	×	×		
2.5	±0.13	×					23	±0.29	×	×	×		
2.8	±0.13	×					23.6	±0.29	×	×	×		
3.15	±0.14	×					24.3	±0.30	×	×	×		
3.55	±0.14	×					25	±0.30	×	×	×		
3.55	±0.14	×					25.8	±0.31	×	×	×		
3.75	±0.14	×					26.5	±0.31	×	×	×		
4	±0.14	×					27.3	±0.32	×	×	×		
4.5	±0.15	×					28	±0.32	×	×	×		
4.75	±0.15	×					29	±0.33	×	×	×		
4.87	±0.15	×					30	±0.34	×	×	×		
5	±0.15	×					31.5	±0.35	×	×	×		
5.15	±0.15	×					32.5	±0.36	×	×	×		
5.3	±0.15	×					33.5	±0.36	×	×	×		
5.6	±0.16	×					34.5	±0.37	×	×	×		
6	±0.16	×					35.5	±0.38	×	×	×		
6.3	±0.16	×					36.5	±0.38	×	×	×		
6.7	±0.16	×					37.5	±0.39	×	×	×		
6.9	±0.16	×					38.7	±0.40	×	×	×		
7.1	±0.16	×					40	±0.41	×	×	×	×	
7.5	±0.17	×					41.2	±0.42	×	×	×	×	
8	±0.17	×					42.5	±0.43	×	×	×	×	
8.5	±0.17	×					43.7	±0.44	×	×	×	×	
8.75	±0.18	×					45	±0.44	×	×	×	×	
9	±0.18	×					46.2	±0.45	×	×	×	×	
9.5	±0.18	×					47.5	±0.46	×	×	×	×	
9.75	±0.18	×					48.7	±0.47	×	×	×	×	
10	±0.19	×					50	±0.48	×	×	×	×	
10.6	±0.19	×	×				51.5	±0.49		×	×	×	
11.2	±0.20	×	×				53	±0.50		×	×	×	
11.6	±0.20	×	×				54.5	±0.51		×	×	×	
11.8	±0.19	×	×				56	±0.52		×	×	×	
12.1	±0.21	×	×				58	±0.54		×	×	×	
12.5	±0.21	×	×				60	±0.55		×	×	×	
12.8	±0.21	×	×				61.5	±0.56		×	×	×	
13.2	±0.21	×	×				63	±0.57		×	×	×	
14	±0.22	×	×				65	±0.58		×	×	×	
14.5	±0.22	×	×				67	±0.60		×	×	×	
15	±0.22	×	×				69	±0.61		×	×	×	
15.5	±0.23	×	×				71	±0.63		×	×	×	
16	±0.23	×	×				73	±0.64		×	×	×	
17	±0.24	×	×				75	±0.65		×	×	×	
18	±0.25	×	×	×			77.5	±0.67		×	×	×	
19	±0.25	×	×	×			80	±0.69		×	×	×	
20	±0.26	×	×	×			82.5	±0.71		×	×	×	

d ₁ 内径		d ₂ 线径					d ₁ 内径		d ₂ 线径				
	公差	1.8 ±0.08	2.65 ±0.09	3.55 ±0.10	5.3 ±0.13	7 ±0.15		公差	1.8 ±0.08	2.65 ±0.09	3.55 ±0.10	5.3 ±0.13	7 ±0.15
85	±0.72		×	×	×		230	±1.69				×	×
87.5	±0.74		×	×	×		236	±1.73				×	×
90	±0.76		×	×	×		239	±1.75				×	×
92.5	±0.77		×	×	×		243	±1.77				×	×
95	±0.79		×	×	×		250	±1.82				×	×
97.5	±0.81		×	×	×		254	±1.84				×	×
100	±0.82		×	×	×		258	±1.87				×	×
103	±0.85		×	×	×		261	±1.89				×	×
106	±0.87		×	×	×		265	±1.91				×	×
109	±0.89		×	×	×	×	268	±1.92				×	×
112	±0.91		×	×	×	×	272	±1.96				×	×
115	±0.93		×	×	×	×	276	±1.98				×	×
118	±0.95		×	×	×	×	280	±2.01				×	×
122	±0.97		×	×	×	×	283	±2.03				×	×
125	±0.99		×	×	×	×	286	±2.05				×	×
128	±1.01		×	×	×	×	290	±2.08				×	×
132	±1.04		×	×	×	×	295	±2.11				×	×
136	±1.07		×	×	×	×	300	±2.14				×	×
140	±1.09		×	×	×	×	303	±2.16				×	×
142.5	±1.11		×	×	×	×	307	±2.19				×	×
145	±1.13		×	×	×	×	311	±2.21				×	×
147.5	±1.14		×	×	×	×	315	±2.24				×	×
150	±1.16		×	×	×	×	320	±2.27				×	×
152.5	±1.18			×	×	×	325	±2.30				×	×
155	±1.19			×	×	×	330	±2.33				×	×
157.5	±1.21			×	×	×	335	±2.36				×	×
160	±1.23			×	×	×	340	±2.40				×	×
162.5	±1.24			×	×	×	345	±2.43				×	×
165	±1.26			×	×	×	350	±2.46				×	×
167.5	±1.28			×	×	×	355	±2.49				×	×
170	±1.29			×	×	×	360	±2.52				×	×
172.5	±1.31			×	×	×	365	±2.56				×	×
175	±1.33			×	×	×	370	±2.59				×	×
177.5	±1.34			×	×	×	375	±2.62				×	×
180	±1.36			×	×	×	379	±2.64				×	×
182.5	±1.38			×	×	×	383	±2.67				×	×
185	±1.39			×	×	×	387	±2.70				×	×
187.5	±1.41			×	×	×	391	±2.72				×	×
190	±1.43			×	×	×	395	±2.75				×	×
195	±1.46			×	×	×	400	±2.78				×	×
200	±1.49			×	×	×	406	±2.82					×
203	±1.51				×	×	412	±2.85					×
206	±1.53				×	×	418	±2.89					×
212	±1.57				×	×	425	±2.93					×
218	±1.61				×	×	429	±2.96					×
224	±1.65				×	×	433	±2.99					×
227	±1.67				×	×							

